



HITCH JACKS BY RAM



OEM HYDRAULIC CYLINDER SPECIALISTS



RAM Hitch Jacks feature a rugged construction with powder coated black finish, and plated components to prevent rusting. The Hitch Jacks are made out of rectangular tube, which gives them superior stability. They come complete with weld-on tube and a durable gear construction for easy trouble free use. RAM Hitch Jacks are available in top or side wind configurations for weights up to 2500 or 5000 pounds.

2500 LB SIDE WIND JACK



Load Capacity: 2500 lbs
Travel: 15" (38 cm)
Closed Height: 21.25" (54 cm)
Expanded Height: 36.22" (92 cm)
Pipe Size: 1.9" OD/1.7 ID
(5.0 cm OD/4.4 cm ID)
Outer Tube: Black powder coated
Inner Tube: Galvanized pipe
Model Number: TJ-2500S

5000 LB SIDE WIND JACK



Load Capacity: 5000 lbs
Travel: 15" (38 cm)
Closed Height: 21.25" (54 cm)
Expanded Height: 36.22" (92 cm)
Pipe Size: 2.2" OD/2.0 ID
(5.7 cm OD/5.1 cm ID)
Outer Tube: Black powder coated
Inner Tube: Galvanized pipe
Model Number: TJ-5000S

2500 LB TOP WIND JACK



Load Capacity: 2500 lbs
Travel: 15" (38 cm)
Closed Height: 21.25" (54 cm)
Expanded Height: 36.22" (92 cm)
Pipe Size: 1.9" OD/1.7 ID
(5.0 cm OD/4.4 cm ID)
Outer Tube: Black powder coated
Inner Tube: Galvanized pipe
Model Number: TJ-2500T

5000 LB TOP WIND JACK



Load Capacity: 5000 lbs
Travel: 15" (38 cm)
Closed Height: 21.25" (54 cm)
Expanded Height: 36.22" (92 cm)
Pipe Size: 2.2" OD/2.0 ID
(5.7 cm OD/5.1 cm ID)
Outer Tube: Black powder coated
Inner Tube: Galvanized pipe
Model Number: TJ-5000T



RAM INDUSTRIES INC.

PO Box 5007 33 York Rd E Yorkton, SK S3N 3Z4 Canada

T: 1-877-799-1005

www.ramindustries.com • sales@ramindustries.com

www.linkedin.com/company/ram-industries-inc



www.ramindustries.com

Hydraulic Cylinder Design & Manufacturing • Precision Custom Machining